



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Mr. Canada, the consul, kindly took charge of the work, issued certificates, and cleared the vessel.

I inclose the mortality report for the week.

Respectfully,

D. E. DUDLEY,

Acting Assistant Surgeon, U. S. M. H. S.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

[Inclosure.]

Vera Cruz, Mexico—Mortality report for the week ended September 21, 1901.

Yellow fever	2	Gastro-enteritis.....	1
Tuberculosis.....	3	Entero-colitis	1
Malaria.....	2	Pernicious malaria	3
Meningitis	1	Pneumonia	1
Tetanus	3	Total deaths from all causes.....	31

NICARAGUA.

Report from Bluefields—Fruit port.

BLUEFIELDS, NICARAGUA, *September 26, 1901.*

SIR: I have to make the following report of the conditions and transactions at this port during the week ended September 26, 1901:

Population, according to census of 1894, 3,000; present officially estimated population, 4,000. Number of cases and deaths from yellow fever during the week, none; number of cases and deaths from smallpox during the week, none; number of cases and deaths from typhus fever during the week, none; number of cases and deaths from cholera during the week, none; number of cases and deaths from plague during the week, none; number of deaths from other causes during the week, 3. Prevailing disease, mild type of malarial fever. General sanitary condition of this port and the surrounding country during the week was very good. The 3 deaths herein above noted occurred in this port, viz, a colored female, aged 4 months, from malarial fever; an Indian male, "snake doctor," aged 48 years, from "snake bite," and a colored female, aged 33 years, puerperal fever.

Bills of health were issued to the following vessels: September 19, steamship *Condor*; crew, 16; passengers from this port, none; passengers in transit, none; pieces of baggage disinfected, none. September 22, steamship *George W. Kelley*; crew, 19; passengers from this port, 10; passengers in transit, none; pieces of baggage disinfected, 19,

Respectfully,

WM. H. CARSON,

Acting Assistant Surgeon, U. S. M. H. S.

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

PHILIPPINE ISLANDS.

Mortuary statistics of Manila.

MANILA, P. I., *August 26, 1901.*

SIR: I have the honor to transmit for your information mortuary statistics of Manila, P. I., for the week ended August 17, 1901.

Respectfully,

J. C. PERRY,

*Passed Assistant Surgeon, U. S. M. H. S.,
Chief Quarantine Officer for the Philippine Islands.*

The SURGEON-GENERAL,

U. S. Marine-Hospital Service.

[Inclosure.]

Mortuary statement for week ended August 17, 1901, for the city of Manila.

General diseases—		Early infancy—	
Typhoid fever.....	2	Infantile debility	2
Recurrent fever.....	1	Old age—	
Intermittent fever.....	3	Senile debility.....	3
Dysentery.....	6	External causes—	
Plague.....	4	Inanition.....	1
Other epidemic affections (beri-beri).....	4	Nomenclature of causes of death, intra-uterine.	
Tuberculosis of the lungs.....	20	Child-birth asphyxiation.....	1
Cancer of the right thigh.....	1	Abortion	1
Chronic rheumatism.....	1	Total.....	152
Nervous system—		Infectious diseases reported during week—	
Simple meningitis.....	3	Measles.....	7
Cerebral congestion.....	2	Plague	6
Convulsions of children.....	42	Total	13
Tetanus	1	Districts—	
Circulatory system—		Walled City.....	13
Valvular disease of the heart.....	1	Binondo.....	11
Angina pectoris	1	Santo Nicolas.....	17
Arterio-sclerosis	3	Tondo.....	35
Respiratory system—		Santa Cruz	32
Laryngitis, acute.....	2	Quiapo.....	5
Bronchitis, acute.....	8	Samploc	7
Bronchitis, chronic.....	2	Santo Miguel.....	5
Pneumonia.....	1	Paco	10
Pulmonary congestion.....	1	Ermita.....	10
Digestive system—		Malate	3
Gastritis, acute.....	1	Pandacan	4
Gastritis, chronic	1	Total	156
Diarrhea and enteritis (under 2 years).....	7		
Chronic diarrhea and enteritis.....	20		
Diarrhea and enteritis (2 years and over).....	5		
Intestinal intussusception.....	1		
Cirrhosis of the liver.....	1		
Diseases of the genito-urinary system—			
Nephritis, chronic.....	3		

Population of Manila, 250,000. Total deaths from all causes, 156. Births reported, incomplete, 70. Death rate per 1,000, 32.53. Birth rate per 1,000, 14.60.

Plague in Manila.

MANILA, P. I., August 30, 1901.

SIR: I have the honor to hereby submit the following data relative to plague in Manila, P. I., for the week ended August 24, 1901: Fourteen cases and 11 deaths—5 Chinese, 8 Filipinos, and 1 Spaniard.

Respectfully,

J. C. PERRY,

*Passed Assistant Surgeon, U. S. M. H. S.,
Chief Quarantine Officer for the Philippine Islands.*

The SURGEON-GENERAL,
U. S. Marine-Hospital Service.